





INSTRUCTION

Flat Basic

Wand-/Deckenanbau

IP43 IP44 E27 TC-Lp+T16-R ~220-240V / 50-60 Hz 3 x 1,5mm² 1,5mm² - 2,5mm²




			d			
	211004.002	D200, H106	160	1xE27	60W	1,25kg
	211005.002	D250, H106	160	1xE27	60W	1,24kg
	211006.002	D300, H106	201	1xE27	75W	1,78kg
	211007.922.79	D300, H106	201	1xTC-DEL	13W	2,99kg
	211008.962.79	D300, H106	201	1xTC-DEL	18W	1,98kg
	211008.842.79	D300, H106	201	1xTC-DEL	18W	1,85kg
	211059.002	D370, H118	262	2xE27	60W	2,53kg
	211060.002	D370, H118	262	1xE27	100W	2,44kg
	211060.002LED	D370, H118	262	1xE27 inkl. LED 9,5W 2800K		2,59kg
	211061.962.79	D370, H118	262	2xTC-DEL	18W	2,76kg
	211011.002	D420, H124	262	2xE27	75W	3,00kg
	211013.962.79	D420, H124	262	2xTC-DEL	18W	2,78kg
	211045.952.79	D420, H124	262	1xTC-DEL	26W	3,50kg
	211054.952.79	D420, H124	262	2xTC-DEL	26W	3,63kg
	211071.002	D500, H150	380	3xE27	60W	5,25kg
	211074.962.79	D500, H150	380	3xTC-DEL	18W	6,24kg
	211073.862.79	D500, H150	380	2xTC-F	36W	6,77kg
	211072.982.79	D500, H150	380	2xTC-L	18W	5,97kg
	211076.002	D500, H150	380	1xT16-R	55W	6,66kg
	211250.002.1	D630, H160	536	3xE27	75W	7,20kg
211255.862.1.79	D630, H160	536	3xTC-F	36W	9,31kg	
211256.982.1.79	D630, H160	536	3xTC-L	36W	9,29kg	
211257.002.1	D630, H160	536	1xT16-R	60W	8,81kg	




	981096.002/004/0042/005	D220, H10	200	0,13kg
	981097.002/004/0042/005	D270, H10	250	0,20kg
	981098.002/004/0042/005	D320, H10	300	0,25kg
	981129.002/004/0042/005	D390, H10	370	0,52kg
	981100.002/004/0042/005	D440, H10	420	0,73kg

EN 12464




EN 12464







D 200/250




D 300



D 370/420




D 630




D 500




1.1 Ø 200,250,300,370,420




1.2 Ø 500,630




1




2.1 Ø 200,250,300,370,420



2




3.1




E27


2.2 Ø 500,630



3




3.2




TC-F
TC-L
TC-DEL

3.3




T16-R


4




5.1 < Ø 500




4.1 Ø 200,250,300,370,420




4.2 Ø 500,630





5.2 Ø 500



5.3 Ø 630




5





intakte Kappe
faultless cover

90-5463.000




intakte Kappe
faultless cover


90-5463.000




6.1 < Ø 500




6.2 ≥ Ø 500




9.2 Ø 500,630




10




7.1 E27




7.2 Ø 500




7.3 Ø 630




8.1



8.2



8.3



9.1 Ø 200,250,300,370,420

