








Bereitschaftsschaltungen
Non permanent operating modes



Dauerschaltungen
Permanent operating modes



Rudolf Zimmermann, Bamberg GmbH
Rheinstraße 16
Postfach 29 40
D-96020 Bamberg
Tel: ++49 (0)951 79 09 - 0
Fax: ++49 (0)951 79 09 - 167

Lampenliste FLUK

Verwendbare Leuchtmittel für

09-6489.010

T26/T8/FD: alle bis einschliesslich 70W

T16/T5/FDH: alle bis einschliesslich 80W

TC-SEL/FSD: alle von 7W bis einschliesslich 11W

TC-L/FSD: alle von 18W bis einschliesslich 55W - somit ist die TC-L 80W ausgeschlossen

TC-DEL/FSQ: alle bis einschliesslich 26W

TC-TEL/FSMH: alle bis einschliesslich 32W - 42W bzw. 57W sollten somit ausgeschlossen sein (die 42W PL-T Xtra von Philips ist verwendbar)

TC-DD/FSS: alle von 16 bis 28W

T16-R/FCH: alle von 22W bis 55W

TC-TEU und **TC-TI:** Bitte beachten Sie die aktuellste Information.

Usable lamp types for

09-6489.010

T26/T8/FD: all up to (and including) 70W

T16/T5/FDH: all up to (and including) 80W

TC-SEL/FSD: all from 7W up to (and including) 11W

TC-L/FSD: all from 18W up to (and including) 55W - 80W is not usable

TC-DEL/FSQ: all up to (and including) 26W

TC-TEL/FSMH: all up to (and including) 32W - 42W and 57W are not usable (42W PL-T Xtra from Philips can be used)

TC-DD/FSS: all from 16W up to (and including) 28W

T16-R/FCH: all from 22W up to (and including) 55W

TC-TEU and **TC-TI:** please ask for latest information

Verwendbare Leuchtmittel für

09-6453.010, 09-6453.020 und 09-6490.010

T16/T5/FDH: 6 – 8W

TC-SEL/FSD: alle von 7W bis einschliesslich 11W

TC-DEL/FSQ: 10 – 13W

Usable lamp types for

09-6453.010, 09-6453.020 und 09-6490.010

T16/T5/FDH: 6 – 8W

TC-SEL/FSD: all from 7W up to (and including) 11W

TC-DEL/FSQ: 10 – 13W



Rudolf Zimmermann, Bamberg GmbH
Rheinstraße 16
Postfach 29 40
D-96020 Bamberg
Tel: ++49 (0)951 79 09 - 0
Fax: ++49 (0)951 79 09 - 167

09-3118.002
47-2012